

Pat. Name : Miss SANDHYA KUMARI

Age : 26Y / Sex : Female

Ref. By : self



Reg. No : OSP-2026-0369

Col. Date : 13-06-2026

Rpt. Date : 13-06-2026

Test	-	Result	Unit	Normal Range
------	---	--------	------	--------------

HAEMATOLOGY

COMPLETE BLOOD COUNT (CBC)

Total WBC Count	▲	9,000	10 ³ /ul	4-10
-----------------	---	-------	---------------------	------

DIFFERENTIAL LEUCOCYTE COUNT

Neutrophils		66	%	40-70
Lymphocytes		23		20-40
Monocytes		07	%	2-10
Eosinophils		04	%	1-6
Basophils		00	%	0-1
Haemoglobin	▼	6.1	gm/dL	12-15

RBC INDICES

RBC Count	▼	2.91	mil/cu.mm	3.5-5.5
Hematocrit (HCT)	▼	22.4	%	37-46
Mean Corp Volume (MCV)	▼	76.98		83-101
Mean Corp Hb (MCH)	▼	20.96	pg	27-32
Mean Corp Hb Conc (MCHC)	▼	27.23	gm/dL	31.5-34.5
RDW-CV	▲	20.4	%	11.0-17.0
RDW-SD	▲	54.2	IL	37-54
Platelet Count	▼	0.65	10 ⁶ /ul	1.50-4.50

Pat. Name : Miss SANDHYA KUMARI

Age : 26Y / Sex : Female

Ref. By : self



Reg. No : OSP-2026-0369

Col. Date : 13-06-2026

Rpt. Date : 13-06-2026

Test	-	Result	Unit	Normal Range
BIOCHEMISTRY				
Blood Sugar Random(BSR)		91	mg/dl	70-140
SEROLOGY				
HIV I & II(SCREENING)		NON-REACTIVE		
Comment				
Human Immunodeficiency Virus Infection I & II (Screening) is a blood test used to detect antibodies or antigens related to HIV infection. It helps in the early diagnosis of HIV-1 and HIV-2 infections, allowing timely treatment and prevention of further transmission. Screening tests are important for maintaining overall health and awareness.				
HCV		Non-Reactive		
Comment				
HCV (Rapid) is a quick screening test used to detect antibodies against the Hepatitis C virus in a blood sample. It provides results within a short time and helps identify individuals who may have been exposed to hepatitis C. A positive result suggests possible infection and should be confirmed with additional laboratory tests to determine active infection and guide treatment.				
HBsAg				
HBsAg		Non-Reactive		Non-Reactive
VDRL Rapid Test				
VDRL		Non-Reactive		Non-Reactive
BT - CT				
Bleeding Time(BT)		1.15	Minutes	

Pat. Name : Miss SANDHYA KUMARI

Age : 26Y / Sex : Female

Ref. By : self



Reg. No : OSP-2026-0369

Col. Date : 13-06-2026

Rpt. Date : 13-06-2026

Test	-	Result	Unit	Normal Range
Clotting Time (CT)		4.55	Minutes	

*** End Of Report ***