

Pat. Name : Siresha Kumari
Age : 5Y / Sex : Female
Ref. By : R.K Memorial Hospital
Comp.Name : Rmh



Reg. No : OSP-2026-0492
Col. Date : 20-06-2026
Rpt. Date : 20-06-2026

Test	-	Result	Unit	Normal Range
HAEMATOLOGY				
COMPLETE BLOOD COUNT (CBC)				
Total WBC Count		9.7	$10^3/\text{ul}$	4-10
RBC INDICES				
RBC Count		4.7	$\text{mil}/\text{cu. mm}$	3.5-5.5
Haemoglobin	▲	16.5	gm/dL	12-15
Platelet Count		3.28	$10^6/\text{ul}$	1.50-4.50
Hematocrit (HCT)	▲	49.0	%	37-46
Mean Corp Volume (MCV)	▲	104.26		83-101
Mean Corp Hb (MCH)	▲	35.11	pg	27-32
Mean Corp Hb Conc (MCHC)		33.67	gm/dL	31.5-34.5
RDW-CV		16.3	%	11.0-17.0
PCT		0.31	%	0.10-0.35
DIFFERENTIAL LEUCOCYTE COUNT				
Neutrophils		52	%	40-70
Lymphocytes		40		20-40
Monocytes		06	%	2-10
Eosinophils		02	%	1-6
Basophils		00	%	0-1
ABSOLUTE DIFFERENTIAL COUNT				
Absolute Neutrophils Count		5.04	$10^3/\text{ul}$	2-7
Absolute Lymphocyte Count	▲	3.88		1-3
Absolute Eosinophil Count	▼	0.19	$10^3/\text{ul}$	0.2-0.5
Absolute Monocyte Count		0.58		0.1-1
Absolute Basophils Count		0.00	$10^3/\text{ul}$	0-0.1

Lab Technician
VIKASH KUMAR
BMLT(AKU)

Page 1 of 3

Vishal Prakash
Dr. Vishal Prakash

MBBS, DCP
Consultant Pathologist

Pat. Name : Siresha Kumari
Age : 5Y / Sex : Female
Ref. By : R.K Memorial Hospital
Comp.Name : Rmh



Reg. No : OSP-2026-0492
Col. Date : 20-06-2026
Rpt. Date : 20-06-2026

Test	-	Result	Unit	Normal Range
------	---	--------	------	--------------

BIOCHEMISTRY

Kidney Function Test(KFT)

Blood Urea	19.2	mg/dl	10 - 45
BUN-Blood Urea Nitrogen	8.97	mg/dl	6.0 - 20.0
Serum Creatinine	0.46	mg/dl	0.4-1.20
Uric Acid	3.59	mg/dl	2.5 - 7.2
Serum Sodium	139.2	mmol/l	135 - 150
Serum Potassium	4.0	mmol/l	3.5 - 5.0
Serum Chloride	103.7	mmol /L	98 - 110
Calcium (Ca++)	8.85	mg/dL	8.8-10.8

Comment

The Kidney Function Test (KFT) is a group of blood and urine tests used to evaluate how well the kidneys are working. It commonly includes tests such as serum creatinine, blood urea, uric acid, electrolytes, and eGFR. KFT helps in diagnosing kidney diseases, kidney infections, dehydration, and monitoring patients with diabetes or high blood pressure. Increased levels of urea and creatinine may indicate impaired kidney function. This test is important for assessing kidney health and monitoring the effectiveness of treatment.

Lab Technician
VIKASH KUMAR
BMLT(AKU)

Dr. Vishal Prakash
MBBS,DCP

Consultant Pathologist

Pat. Name : Siresha Kumari
Age : 5Y / Sex : Female
Ref. By : R.K Memorial Hospital
Comp.Name : Rmh



Reg. No : OSP-2026-0492
Col. Date : 20-06-2026
Rpt. Date : 20-06-2026

Test	-	Result	Unit	Normal Range
------	---	--------	------	--------------

BIOCHEMISTRY

Liver Function Test (LFT)

Total Bilirubin	▲	5.92	mg/dl	0.2-1.3
Direct Bilirubin	▲	0.98	mg/dl	0.0-0.4
Indirect Bilirubin	▲	4.94	mg/dl	0.2-0.7
Alkaline Phosphatase	▲	270.2	IU/L	00-240
Alanine Transaminase (SGPT/ALT)		30.2	U/L	5-35
Aspartate Transaminase (SGOT/AST)		30.6	U/L	8-40
SGOT/SGPT Ratio		1.01	Ratio	0-5
Total Protein		6.16	g/dl	6-8
Albumin	▼	3.37	gm/dl	3.5-5.5
Globulin		2.79	g/dl	2.3-3.6
A/G Ratio		1.21		1.0-2.3

Comment

The Liver Function Test (LFT) is a group of blood tests used to assess the health and functioning of the liver. It measures different enzymes, proteins, and substances such as SGOT (AST), SGPT (ALT), ALP, bilirubin, albumin, and total protein. These tests help in diagnosing liver diseases like hepatitis, fatty liver, jaundice, liver infection, and liver damage caused by alcohol or medicines. Abnormal LFT values may indicate inflammation, blockage of bile ducts, or impaired liver function. LFT is also used to monitor the progress of liver disease and response to treatment.

C-Reactive Protein (CRP Quantitative)

CRP (Quantitative)	▲	13.0	mg/L	00 - 6.0
--------------------	---	------	------	----------

Comment

C-Reactive Protein (CRP) is a protein produced by the liver in response to inflammation in the body. The level of CRP in the blood increases when there is an infection, injury, or inflammatory condition. A CRP test helps doctors detect and monitor inflammation associated with diseases such as arthritis, bacterial infections, and heart disease. Higher CRP levels generally indicate greater inflammation, but the test does not identify the exact cause.

*** End Of Report ***

Lab Technician
VIKASH KUMAR
BMLT(AKU)

Page 3 of 3

Dr. Vishal Prakash
MBBS,DCP

Consultant Pathologist