

Pat. Name : Tetari Devi  
Age : 29Y / Sex : Female  
Ref. By : Dr Chandra Kumar  
Comp.Name : Ayush Clinic



Reg. No : OSP-2026-0357  
Col. Date : 11-06-2026  
Rpt. Date : 11-06-2026

Test	-	Result	Unit	Normal Range
------	---	--------	------	--------------

### BIOCHEMISTRY

BLOOD SUGAR(FASTING) 89.4 mg/dl 60-110

### Vitamin D3 (1,25 Dihydroxyvitamin D3)

Vitamin D3 21.8 pg/mL 18-62

### IMMUNOLOGY

### Vitamin - B12 (Cynobalamin)

VITAMIN B-12 ▼ 162.8 Pg/ML 180 - 916

#### Comment

Vitamin B12 (Cyanocobalamin) is a vitamin test used to measure the level of Vitamin B12 in the blood. It helps detect deficiency which can cause anemia, weakness, fatigue, and nerve problems. This test is important for maintaining healthy blood and proper nervous system function.

### SEROLOGY

HBsAg(SCREENING) Non-Reactive

#### Comment

HBsAg (Screening) is a blood test used to detect the presence of the hepatitis B surface antigen (HBsAg), a protein found on the surface of the Hepatitis B virus. It is commonly used to screen for hepatitis B infection. A positive HBsAg result indicates that a person is infected with hepatitis B and may be able to transmit the virus to others. This test is important for early diagnosis, monitoring, and preventing the spread of hepatitis B.

HCV (RAPID) Non-Reactive

#### Comment

HCV (Rapid) is a quick screening test used to detect antibodies against the Hepatitis C virus in a blood sample. It provides results within a short time and helps identify individuals who may have been exposed to hepatitis C. A positive result suggests possible infection and should be confirmed with additional laboratory tests to determine active infection and guide treatment.

HIV I & II(SCREENING) NON-REACTIVE

Lab Technician  
VIKASH KUMAR  
BMLT(AKU)

Page 1 of 3

Dr. Vishal Prakash  
MBBS,DCP

Consultant Pathologist

Pat. Name : Tetari Devi  
Age : 29Y / Sex : Female  
Ref. By : Dr Chandra Kumar  
Comp.Name : Ayush Clinic



Reg. No : OSP-2026-0357  
Col. Date : 11-06-2026  
Rpt. Date : 11-06-2026

Test	-	Result	Unit	Normal Range
------	---	--------	------	--------------

**Comment**

Human Immunodeficiency Virus Infection I & II (Screening) is a blood test used to detect antibodies or antigens related to HIV infection. It helps in the early diagnosis of HIV-1 and HIV-2 infections, allowing timely treatment and prevention of further transmission. Screening tests are important for maintaining overall health and awareness.

**BIOCHEMISTRY**

**Urine R/E Analysis**

**Physical Examination**

VOLUME	2	ml	2-5
Urine Colour	Pale Yellow		
Appearance	Clear		
Urine pH	6.5		4.5-8.0
Specific Gravity	1.020		1.000-1.030

**Chemical Examination**

Urine Sugar (Glucose)	Absent
Urine Protein	Absent
Ketones	Absent
Urine Bilirubin	Absent
Urobilinogen	Absent
Blood	Not Present
Nitrate	Not Present
Leukocytes Esterase	Absent

**Microscopy Examination**

Pus Cells	0-5		
R.B.C.	Nil	RBC /hpf	0-2
Epithelial Cells	2-3	Epi Cells /hpf	
Casts	Not Cast	/hpf	

Lab Technician  
VIKASH KUMAR  
BMLT(AKU)

Page 2 of 3

Vishal Prakash  
Dr. Vishal Prakash  
MBBS,DCP

Consultant Pathologist

Pat. Name : Tetari Devi  
Age : 29Y / Sex : Female  
Ref. By : Dr Chandra Kumar  
Comp.Name : Ayush Clinic



Reg. No : OSP-2026-0357  
Col. Date : 11-06-2026  
Rpt. Date : 11-06-2026

Test	-	Result	Unit	Normal Range
Crystals		Not Seen	/hpf	

**Comment**

Urine Routine Examination (Urine R/E Analysis) is a common test used to examine the physical, chemical, and microscopic properties of urine. It helps detect urinary tract infections, kidney disorders, diabetes, and other health conditions. This test provides important information about overall urinary and kidney health.

\*\*\* End Of Report \*\*\*

Lab Technician  
VIKASH KUMAR  
BMLT(AKU)

Page 3 of 3

Dr. Vishal Prakash  
MBBS, DCP

Consultant Pathologist