

Patient Name : Mrs. GAYTRI DEVI

Age : 26Y Sex : Female

Ref. By : DR.S.PRASAD,G.A.M.S

Address : PATKAULIYA



Reg. No : SP-2026-0125

Collection Date : 19-06-2026

Reporting Date : 19-06-2026

Test	Flag	Result	Unit	Normal Range
HAEMATOLOGY				
COMPLETE BLOOD COUNT (CBC)				
Haemoglobin	▼	8.2	gm/dL	10.5-14.5
RBC Count	▼	3.24	mil/cu.mm	3.5-5.5
RBC INDICES				
Hematocrit (HCT)	▼	29.5	%	40-50
Mean Corp Volume (MCV)		91.0		83-101
Mean Corp Hb (MCH)	▼	25.0	pg	27-32
Mean Corp Hb Conc (MCHC)	▼	28.0	gm/dL	31.5-34.5
RDW-SD		44.4	fl	
RDW-CV		14.1	%	11.0-17.0
Platelet Count	▼	1.24	10 ⁶ /ul	1.50-4.50
MPV	▲	13.8		7-13
PWD		19.0	fl	
PCT		0.171	%	0.10-0.35
Total WBC Count		4900	10 ³ /ul	4000-11000
DIFFERENTIAL LEUCOCYTE COUNT				
Neutrophils		55	%	40-70
Lymphocytes		38		20-40
Monocytes		06	%	2-10
Eosinophils		01	%	1-6
Basophils		00	%	0-1
Differential Leucocyte Absolute Count				
Absolute Neutrophil		2.70	x10 ³ /Cu.mm	1.8-7.8
Absolute Lymphocyte		1.86	x10 ³ /Cu.mm	1.0-4.8
Absolute Monocyte		0.29	x10 ³ /Cu.mm	0-0.8
Absolute Eosinophil		0.05	x10 ³ /Cu.mm	0-0.45
Absolute Basophil		0.00	x10 ³ /Cu.mm	0-0.2

Patient Name : Mrs. GAYTRI DEVI

Age : 26Y Sex : Female

Ref. By : DR.S.PRASAD,G.A.M.S

Address : PATKAULIYA



Reg. No : SP-2026-0125

Collection Date : 19-06-2026

Reporting Date : 19-06-2026

Test	Flag	Result	Unit	Normal Range
------	------	--------	------	--------------

SEROLOGY

HIV I & II(SCREENING) Non-Reactive

Comment

HIV I & II screening is a blood test used to detect infection with Human Immunodeficiency Virus (HIV) Type 1 and Type 2. It is commonly performed as an initial screening test to identify antibodies and/or antigens related to HIV infection. A non-reactive (negative) result usually indicates that no evidence of HIV was found, while a reactive (positive) result requires additional confirmatory testing. Early HIV screening is important because it helps with timely diagnosis, treatment, and prevention of transmission.

IMMUNOLOGY

URINE PREGNANCY TEST(UPT) NEGATIVE

***** End Of Report *****