

Patient Name : Mrs. RAJDEVI
Age : 65Y Sex : Female
Ref. By : DR.S.PRASAD,G.A.M.S
Address : PATKAULIYA



Reg. No : SP-2026-0149
Collection Date : 19-06-2026
Reporting Date : 19-06-2026

Test	Flag	Result	Unit	Normal Range
------	------	--------	------	--------------

BIOCHEMISTRY

Alanine Transaminase (SGPT/ALT)		29	U/L	5-40
---------------------------------	--	----	-----	------

Comment

Alanine Transaminase (ALT/SGPT) is an enzyme found mainly in the liver. It helps the body process proteins and amino acids. When liver cells are damaged due to conditions such as hepatitis, fatty liver disease, alcohol-related liver injury, or certain medications, ALT levels in the blood can rise. Therefore, the ALT (SGPT) test is commonly used to assess liver health and detect liver damage. Normal ranges vary slightly between laboratories.

BLOOD SUGAR RANDOM (BSR)		107	mg/dl	70-150
--------------------------	--	-----	-------	--------

Comment

A Random Blood Sugar (RBS) test measures the amount of glucose (sugar) in the blood at any time of the day, regardless of when a person last ate. It is used to help detect and monitor diabetes and evaluate how well the body controls blood sugar levels. High or low blood sugar levels may indicate a health problem that needs medical attention.

WIDAL TEST NEW

TYPHI "O"	1/160
TYPHI "H"	1/20
TYPHI "AH"	1/20
TYPHI "BH"	1/20
Result	Positive

Comment

Widal test is a serological test used to detect antibodies against Salmonella Typhi and Salmonella Paratyphi, the bacteria responsible for enteric fever (typhoid fever). The test measures agglutinating antibodies against O (somatic) and H (flagellar) antigens in the patient's serum. Results should be interpreted along with clinical findings and local baseline antibody titers, as prior vaccination or previous infection may influence the results.

SEROLOGY

HIV I & II(SCREENING)	Non-Reactive
-----------------------	--------------

Patient Name : Mrs. RAJDEVI
Age : 65Y Sex : Female
Ref. By : DR.S.PRASAD,G.A.M.S
Address : PATKAULIYA



Reg. No : SP-2026-0149
Collection Date : 19-06-2026
Reporting Date : 19-06-2026

Test	Flag	Result	Unit	Normal Range
-------------	-------------	---------------	-------------	---------------------

Comment

HIV I & II screening is a blood test used to detect infection with Human Immunodeficiency Virus (HIV) Type 1 and Type 2. It is commonly performed as an initial screening test to identify antibodies and/or antigens related to HIV infection. A non-reactive (negative) result usually indicates that no evidence of HIV was found, while a reactive (positive) result requires additional confirmatory testing. Early HIV screening is important because it helps with timely diagnosis, treatment, and prevention of transmission.

***** End Of Report *****